

19-AUG-2005 14:44 FROM SUNFIELD.COM.CN

TO 0088672240520

P.09/13

SGS

We sent you defective samples by _____ AWB. No.: _____ on _____ Please advise your evaluation.

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / label	Data measurement
SBS	Conformed	Failed AQL	Conformed	Conformed	Actual Finding
SC	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
SB	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
ST3	Conformed	Pass AQL	Conformed	Conformed	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allow)
And "Minor defect" are just for repair and improvement mainly)

Model No	Defect description	Critical	Major	Minor
SBS	White mark on front cabinet	0	0	1
	Dirty mark on top cabinet	0	0	1
SC	Glue mark on top cabinet	0	0	1
SB	Nil	0	0	0
ST3	Dirty mark on front cabinet	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
SBS	2 ply corrugated carton and sealed by gummed tapes	Two unit protected with polybag and foam, then packed into carton together with accessories bag (1 pc copper foot, 6 pcs rubber foot), User's guide and Warranty card.
SC	2 ply corrugated carton and sealed by gummed tapes	Each speaker protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.
SB	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.
ST3	2 ply corrugated carton and sealed by gummed tapes	Each unit was protected with poly bag and poly foam, then packed into carton together with accessories bag (3pcs copper foot, 3pcs rubber foot, 4pcs black screw, user's guide and warranty card.)

Page 2 of 6
CN-D-PPS-

This report is issued by the Company under its General Conditions for inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:45 FROM SUNFIELD.COM.CN

TO 0088672240520

P.10/13

SGS5.0 MARKING / LABELING

Model No	On Export carton
SBS	<p><u>1). Shipping mark</u></p> <p style="text-align: center;">Sapphire™ SBS Two-way High Performance Bookshelf Speakers</p> <p style="text-align: center;">Quantity: Two</p> <p><u>2). Side mark</u></p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie And Tom DeVesto Exclusive 1" Polycell Dome Sapphire Tweeter Magnetically Shielded 5.25" coated paper Cone midrange/woofer Bass Reflex Design</p> <p>Quantity: Two Speakers Premium Black Ash Vinyl</p> <p>Shipping: Wt: 21.5 lb Vol: 1.8 cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA</p>
SS	<p><u>1). Shipping mark</u></p> <p style="text-align: center;">Sapphire™ SC High Performance Two-way Center Channel</p> <p style="text-align: center;">Quantity: One</p> <p><u>2). Side mark</u></p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesto Exclusive 1Sapphire " Polycell Dome Tweeters 2x5.25" Aluminum Cone Midrange/ Woofer Magnetically Shielded Bass reflex Design Adjustable Center Foot Grille Included</p>

Page 5 of 6
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Specifications to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven deficiencies and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:46 FROM SUNFIELD.COM.CN

TO 0088672248520

P.11/13

SGS

	<p>Quantity: Two Speakers Premium Black Ash Vinyl Shipping: Wt: 24.6 lb Vol: 2.1 cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio MADE IN CHINA</p>
SB	<p><u>1). Shipping mark</u></p> <p style="text-align: center;">Sapphire™ SB Two-way High Performance Bookshelf Speakers</p> <p style="text-align: center;">Quantity: Two</p> <p><u>2). Side mark</u></p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie And Tom DeVesto Exclusive 1" Polycell Dome Sapphire Tweeter 5.25" Aluminum Cone Midrange / Woofer magnetically Shielded Bass Reflex Design</p> <p>Quantity: Two Speakers Premium Black Ash Vinyl</p> <p>Shipping: Wt: 31.8 lb Vol: 2.6 cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA</p>
ST3	<p><u>1). Shipping mark</u></p> <p style="text-align: center;">Sapphire™ ST1 MKIII High performance three-way Tower Speaker</p> <p><u>2). Side mark</u></p>

Page 4 of 6
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:46 FROM SUNFIELD.COM.CN

TO 0088672240520

P.12/13

SGS**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
and Tom DeVesto
Exclusive 1" Sapphire Polycell Dome Tweeter
2x5.25" Aluminum Cone Midranges
2x8" side-firing woofer cone Woofers
Magnetically Shielded
Bi-Wirable
Bass Reflex Design
Black Glass Top
Grilles Included
MADE IN CHINA

Quantity:
One right Speaker
Premium Black Ash Vinyl

One left Speaker
Premium Black Ash Vinyl

Shipping:
Wt: 71.6 lb
Vol: 7.3 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

www.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio.

6.0 DATA MEASUREMENT

Model No	Data measurement
SBS	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.
SC	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.
SB	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.
ST3	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 3pcs samples for actual installation check found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Page 5 of 6
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:46 FROM SUNFIELD.COM.CN

TO 0088672240520

P.13/13

The logo for SGS, consisting of the letters 'SGS' in a bold, sans-serif font, with a vertical line to the right of the letters.

Model No	Problem remark / Informative remark
	1 UPC label stuck on export carton. 2 Rating label stuck on rear cabinet. 3 Serial number label stuck on unit and export carton.

Page 6 of 6
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under the report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

TOTAL P.13

19-AUG-2005 14:47 FROM SUNFIELD.COM.CN

TO 0088672240520

P.01/01

SGSBlack Glass Top
Grilles IncludedQuantity:
One right Speaker
Premium Black Ash VinylOne left Speaker
Premium Black Ash VinylShipping:
Wt: 52.7 lb
Vol: 5.1 cu ft**Sapphire™**

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

www.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio

MADE IN CHINA

3) Label:

3.1 UPC label stuck on export carton; 831623011117

3.2 Rating label stuck on rear cabinet.

3.3 Serial number label stuck on unit and export carton.

6.0 DATA MEASUREMENT

Model No	Data measurement
ST1-L/R MKII	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
ST1-L/R MKII	NIL

Page 3 of 3
CN-DOPS.

The Company under its General Conditions issues this report for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Shipments in the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

Quantity:
One right/left Speaker
Premium Black Ash Vinyl

One left Speaker
Premium Black Ash Vinyl

Shipping:
Wt: 76.8 lb
Vol: 7.1 cu ft

Sapphire™

Page 3 of 3
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

Model No.	On Export carton
ST2 MKII	<p><u>1). Shipping mark</u></p> <p style="text-align: center;">Sapphire™ ST2 MKII High Performance Three-way Tower Speaker</p> <p><u>2). Side mark</u></p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie And Tom DeVesto Exclusive 1Sapphire Polycell Dome Tweeter 2x5.5" Aluminum Cone Midrange 10" Side-firing Woofer Magnetically Shielded Bi-Wirable Bass Reflex Design Black Glass Top Grilles Included</p> <p>Quantity: One Right Speaker Premium Black Ash Vinyl One left Speaker Premium Black Ash Vinyl</p>

Page 2 of 3

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

TOTAL P. 81

19-AUG-2005 14:41 FROM SUNFIELD.COM.CN

TO 0088672240520

P.01/13

SGS**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 And Tom DeVesto
 Exclusive 1" Polycell Dome Sapphire Tweeter
 Magnetically Shielded 5.25" coated paper
 Cone midrange/woofer
 Bass Reflex Design

Quantity:

Two Speakers
 Premium Black Ash Vinyl

Shipping:

Wt: 21.5 lb
 Vol: 1.8 cu ft

Sapphire™**RED HOT Blue!**

One Broadway, Suite 600
 Cambridge, Massachusetts 02142 USA

www.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio

MADE IN CHINA**ST3-L/R
MKII****1). Shipping mark****Sapphire™****ST3 MKII**

High performance three-way Tower Speaker

2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 And Tom DeVesto
 Exclusive 1" Sapphire Polycell Dome Tweeter
 2x5.25" Aluminum Cone Midranges
 2x8" side-firing woofer
 Magnetically Shielded
 Bi-Wirable
 Bass Reflex Design
 Black Glass Top
 Grilles Included

Quantity:

One right/left Speaker
 Premium Black Ash Vinyl

One left Speaker

Premium Black Ash Vinyl

Shipping:

Wt: 76.5 lb
 Vol: 7.1 cu ft

Sapphire™


Page 3 of 4
 CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Specifications to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be limited by the amount of the fee or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for

19-AUG-2005 14:33 FROM SUNFIELD.COM.CN

TO 0088672240520

P.19/23



4/F Easting Building, Zhongyuan Road, Shangmellin, Shenzhen, China

Tel: (86 755) 23111354
Fax: (86 755) 23111354/ 83103194

Inspection Report

Report Ref. No.: SZXWT00116655

Buyer	Sapphire	Fax / E-mail	tlvolicon@aol.com
Agent	Tom Devosio		
Supplier	Sunfield Shenzhen	Fax / E-mail	
Manufacturer	Peter Peng		
From	Hanson Cai	Fax / E-mail	Hanson_cai@sgs.com
SGS File No.	CN1US-074540	Date: 11/ Mar/2005	SGS Registration No.: CN1US-074540

Buyer	Sapphire
Agent	N/A
Supplier	Sunfield, TW
Manufacturer	Sunfield, Shen Zhen
Product description	Speaker box

Lot Number (x) Not Available
 CO. Number (x) Not Available

Service performed: FRI Inspection Date: 11-Mar-2005
 Inspector Location: Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED: By Principal (For data measurement only)

SUMMARY OF INSPECTION RESULT:

Model No.	Quantity for Inspection	AQL applied	Sample size	Overall result
S185	278pcs	According to Client Instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection. AQL = Level I letter code Critical = Not allow Major = 0.65 Minor = 1.5	13	Subject to Client's evaluation
SR	N/A		0	Subject to Client's evaluation
S11	1012pcs		32	Subject to Client's evaluation

Inspection result are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's evaluation"

FOLLOW UP ACTIONS (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for _____

Manufacturer / supplier commented on inspection result as follow: _____

Please internet regarding issuance of inspection certificate.


Page 1 of 6
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not constitute an endorsement or warranty by the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the fee charged for the inspection. Except by special arrangement, samples if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:33 FROM SUNFIELD.COM.CN

TO 0088672240520

P.20/23



We sent you defective samples by _____ AWB. No _____ on _____ Please advise your evaluator.

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.2 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / label	Data measurement
SBS	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
SC					
SB	Conformed	Pass AQL	Conformed	Conformed	Actual Finding

2.3 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allow ! And "Minor defect" are just for repair and improvement mainly !)

Model No	Defect description	Critical	Major	Minor
SBS	No defect.	0	0	0
SC		0	0	1
SB	Dirty stain on right side of cabinet. (4212)	0	0	1

2.4 PACKING

Model No	Export packing	Individual packing
SBS	2 ply corrugated carton and sealed by gummed tapes	Each unit protected with polybag and foam, then packed into carton together with accessories bag (1 pc copper foot, 6 pcs rubber foot), User's guide and Warranty card.
SC		
SB	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.

2.5 MARKING / LABELING

Model No	On Export carton
SBS	<p>1. Shipping mark</p> <p style="text-align: center;">Sapphire™ SBS Two-way High Performance Bookshelf Speakers</p> <p style="text-align: center;">Quantity Two</p>

Page 2 of 4
CN-D-QPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not constitute an endorsement or a warranty from exceeding all their rights and discharging all their liabilities under the Contract of Sale. Stipulations in the report are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fee for the inspection. Except by special arrangement as noted, it drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:34 FROM SUNFIELD.COM,CN

TO 0088672240520

P.21/23

S&S3. Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 And Tom DeVesto
 Exclusive 1" Polycell Dome Sapphire Tweeter
 Magnetically Shielded 5.25" coated paper
 Cone midrange/woofer
 Bass Reflex Design

Quantity:

Two Speakers
 Premium Black Ash Vinyl

Shipping:

Wt: 21.5 lb
 Vol: 1.8 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

www.sapphireaudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio.

MADE IN CHINA

SIC

1. Shipping mark**Sapphire™****SB**

Two-way High Performance
 Bookshelf Speakers

Quantity Two

2. Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 And Tom DeVesto
 Exclusive 1" Polycell Dome Sapphire Tweeter
 5.25" Aluminum Cone Midrange / Woofer
 magnetically Shielded
 Bass Reflex Design

Quantity:

Two Speakers
 Premium Black Ash Vinyl

Shipping:

Wt: 31.8 lb
 Vol: 2.5 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

Page 3 of 4
CN-D-OPS-

This order is issued under the company's General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this order does not constitute an offer or contract. The company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fee for the examination. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:34 FROM SUNFIELD.COM.CN

TO 0088672240520

P.22/23

SGS

SAPPHIRE AUDIO CO., LTD.
Sapphire and the Sapphire logo are trademarks of Sapphire audio.
MADE IN CHINA

6.1 DATA MEASUREMENT

Model No	Data measurement
SGS	1) AC Impedance curve found acceptable except defects shown in AQL. 2) Speaker polarity check found acceptable except defects shown in AQL.. 3) Buzz & Rattle check found acceptable except defects shown in AQL.. 4) 3pcs samples for actual installation check found acceptable. 5) 1 pc rubber foot for "left mark test" found acceptable.
SB	1) AC Impedance curve found acceptable except defects shown in AQL. 2) Speaker polarity check found acceptable except defects shown in AQL.. 3) Buzz & Rattle check found acceptable except defects shown in AQL.. 4) 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
SG	No products were provided for our inspection. Which did not conform to inspection booking stated as 500pcs.
SGS	Actual quantity of product is 278pcs, which did not conform to inspection booking stated as 200pcs.
SB	Actual quantity of product is 1012pcs, which did not conform to inspection booking stated as 1100pcs.

19-AUG-2005 14:19 FROM SUNFIELD.COM.CN

TO 0088672240520

P.15/17

SGS

2/F Qastar Building, Zhongkang Road, Shangmeilin, Shenzhen, China

Tel: (86 755) 83114358

Fax: (86 755) 83114354/83103194

Inspection ReportReport Ref. No.: **SZXWT00102884**

To :	Tivoli Audio, LLC	Fax / E-mail :	tivoli.con@aol.com
All :	Tom Davesto		
Cc :	Sunfield Shenzhen	Fax / E-mail :	
All :	Peter Peng		
From :	Hanson Cai	Fax / E-mail :	Hanson.cai@sgs.com
SGS File No.:	CN1US-064759	Date: 20/10/2004	SGS Registration No.: CN1US-064759

Buyer: Tivoli Audio, LLC

Agent: N/A

Supplier: Sunfield, TW

Manufacturer: Sunfield, Shenzhen

Product description: Speakers and Grill kits

L/C Number: (x) Not Available

P.O. Number: (x) Not Available

Service performed: FRI Inspection Date: 20-Oct-2004

Inspection Location: Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED :

By Principal (For data measurement only)

1.0 SUMMARY OF INSPECTION RESULT :

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
SS	172	According to Client Instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection ; AQL = Level I letter code Critical = Not allow Major = 0.65 Minor = 1.5	20	Conformed
STI MKII	352		32	Conformed

Note : Inspection result are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's evaluation"

FOLLOW UP ACTIONS : (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for _____

Manufacturer / supplier commented on inspection result as follow : _____

Please instruct regarding issuance of inspection certificate.

Page 1 of 2
CN-P-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than the amount of the fees or commission. Except by special arrangement samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:28 FROM SUNFIELD.COM.CN

TO 0088672240520

P.16/17

SGS

We sent you defective samples by _____ AWB No.: _____ on _____ Please advise your evaluation.

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / Label	Data measurement
SS	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
STI MKII	Conformed	Pass AQL	Conformed	Conformed	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allow!
And "Minor defect" are just for repair and improvement mainly!)

Model No	Defect description	Critical	Major	Minor
SS	No defect was found	0	0	1
STI MKII	White mark on rear cabinet (11866)	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
SS	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.
STI MKII	2 ply corrugated carton and sealed by gummed tapes	Each speaker protected with polybag and foam, then packed into carton together with 1 accessories bag, User's guide and Warranty card.

5.0 MARKING / LABELING

Model No	On Export carton
SS	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ SS Two-way High Performance Diffuse Surround Speakers Quantity: Two</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesto Exclusive 1" Polycell Dome Sapphire Tweeters</p>

Page 2 of 4
CND-RPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Signatures to the Company are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case for more than ten times the amount of the fees or commission except by special arrangement. Samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:20 FROM SUNFIELD.COM.CN

TO 0088672240520

P.17/17

SGS

ST1 MKII	5.25" Aluminum Cone Midrange/Woofers
	Quantity: Two Speakers Premium Black Ash Vinyl Shipping: Wt: 40.3 lb Vol: 2.6 cu ft
	Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA
	1) <u>Shipping mark</u>
	Sapphire™ ST1 MKII High Performance Thru-way Tower Speaker
	2) <u>Side mark</u>
	HANDLE WITH CARE Designed and Engineered by Cary Christie And Tom DeVesto Exclusive 1Sapphire Polcell Dome Tweeter 5.25" Aluminum Cone Midrange 8" Side-firing Woofer Magnetically Shielded Bi-Wirable Bass Reflex Design Black Glass Top
	Quantity: One Right Speaker Premium Black Ash Vinyl One Left Speaker Premium Black Ash Vinyl
	Shipping: Wt: 52.7 lb Vol: 5.1 cu ft
	Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA

Page 1 of 1
END-OPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fee or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

TOTAL P.17

19-AUG-2005 14:26 FROM SUNFIELD.COM.CN

TO 0088672240520

P. 01/23

SGS

Please instruct regarding issuance of inspection certificate.

We sent you defective samples by _____ AWB. No.: _____ on _____ Please advise your evaluation.

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / label	Data measurement
ST1 MKII	Confirmed	Confirmed	Confirmed	Confirmed	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allowed! And "Minor defects" are just for repair and improvement mainly!)

Model No	Defect description	Critical	Major	Minor
ST1 MKII	Glue marks stain on front panel. (11597)	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
ST1 MKII	2 ply corrugated carton and sealed by gummed tapes	Each unit was protected with poly bag and poly foam, then packed into carton together with accessories bag (3pcs copper foot, 3pcs rubber foot, 4pcs black screw, user's guide and warranty card.)

5.0 MARKING / LABELING

Model No	On Export carton
ST1 MKII	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ ST1 MKII High performance three-way Tower Speaker</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie And Tom DeVasio Exclusive 1" Sapphire Polycell Domo Tweeter 5.25" Aluminum Cone Midranges 8" side-firing woofer Magnetically Shielded BI-Wirable Bass Reflex Design Black Glass Top Grilles Included MADE IN CHINA</p>

Page 2 of 3
CN.D-OPS

This Company under its General Conditions issues this report for inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fee of commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:26 FROM SUNFIELD.COM.CN

TO 0088672240520

P.02/23

SGS

Quantity:
One right Speaker
Premium Black Ash Vinyl

One left Speaker
Premium Black Ash Vinyl

Shipping:
Wt: 52.7 lb
Vol: 5.1 cu ft

Sapphire™
RED HOT Blue!
One Broadway, Suite 600
Cambridge, Massachusetts 02142 USA
www.SapphireAudio.com
Sapphire and the Sapphire logo are trademarks of Sapphire audio.

3) Label:
3.1 UPC label stuck on export carton: 831623011117
3.2 Rating label stuck on rear cabinet.
3.3 Serial number label stuck on unit and export carton.

6.0 DATA MEASUREMENT

Model No	Data measurement
ST1 MKII	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
ST1 MKII	NIL

Page 3 of 3
CN-D-OPS-

The Company under its General Conditions issues this report for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:24 FROM SUNFIELD.COM.CN

TO 0088672240520

P.08/08

SGS

2/F Oastar Building, Zhongkang Road, Shangmellin, Shenzhen, China

Tele: (86 755) 83114358

Fax: (86 755) 83114354/83103194

Inspection Report

Report Ref. No.: SZXWT00101815

To	Tivoli Audio, LLC	Fax / E-mail:	livolicon@aol.com
Att	Tom Devesto		
Co	Sunfield Shenzhen	Fax / E-mail	
Att	Peter Peng		
From	Hanson Cai	Fax / E-mail:	Hanson_cai@sgs.com
SGS File No.:	CN1US-063995	Date: 09/10/2004	SGS Registration No.: CN1US-063995

Buyer: Tivoli Audio, LLC
 Agent: N/A
 Supplier: Sunfield, TW
 Manufacturer: Sunfield, Shen Zhen
 Product description: Speakers and Grill kits

L/C Number: (x) Not Available
 P.O. Number: (x) Not Available

Service performed: FRI Inspection Date: 08 - Oct. - 2004
 Inspection Location: Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED:

By Principal (For data measurement only)

1.0 SUMMARY OF INSPECTION RESULT:

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
ST1 MKII	400	According to Client instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection AQL = Level I - according to letter code sample size only. Critical = Not allow Major = 0.65 Minor = 1.5	32	Confirmed
ST2	N/A		N/A	N/A
ST3	N/A		N/A	N/A
SC MKII	N/A		N/A	N/A
SS	N/A		N/A	N/A
SB	N/A		N/A	N/A

Note: Inspection results are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's Evaluation"

FOLLOW UP ACTIONS: (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for _____

Manufacturer / supplier commented on inspection result as follow: _____

Page 2 of 3
CN-13 OPS-

The Company under its General Conditions issues this report for inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than two times the amount of the fees of commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

TOTAL P.08

19-AUG-2005 14:35 FROM SUNFIELD.COM.CN

TO 0088672240520

P.01/05

SGS

Three-way High Performance Tower Speaker

(L/R label)

Quantity:
One Right Speaker
Premium Black Ash Vinyl

One Left Speaker
Premium Black Ash Vinyl

2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
and Tom DeVesto
Exclusive 1" Polycell Dome Sapphire Tweeter
5.25" Aluminum Cone Midrange
8" Side-firing Woofer
Magnetically Shielded
Bi-Wireable
Bass Reflex Design
Black Glass Top

Quantity:
One Right Speaker
Premium Black Ash Vinyl

One Left Speaker
Premium Black Ash Vinyl

Shipping:
Wt: 62.7 lb
Vol: 6.4 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

www.SapphireAudio.comSapphire and the Sapphire logo are trademarks of Sapphire audio. **MADE IN CHINA**

ST2

N/A

ST3

1). Shipping mark**Sapphire™****ST3**

Three-way High Performance Tower Speaker

Quantity:
One Right Speaker
Premium Black Ash Vinyl

(L/R label)

One Left Speaker
Premium Black Ash Vinyl

2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
and Tom DeVesto
Exclusive 1" Polycell Dome Sapphire Tweeter
2X5.25" Aluminum Cone Midrange
2X8" Side-firing Woofers
Magnetically Shielded
Bi-Wireable
Bass Reflex Design

19-AUG-2005 14:36 FROM SUNFIELD.COM.CN

TO 0088672240520

P.02/05

SGS

	<p>Black Glass Top</p> <p>Quantity: One Right Speaker Premium Black Ash Vinyl</p> <p>One Left Speaker Premium Black Ash Vinyl</p> <p>Shipping: Wt: 71.6 lb Vol: 7.3 cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA</p>
SC	<p>1). Shipping mark</p> <p>Sapphire™ SC Two-way High Performance Center Channel</p> <p>Quantity, One</p> <p>2). Side mark</p> <p>Quantity: One Speaker Premium Black Ash Vinyl Shipping: Wt: 24.6 lb Vol: 2.1 cu ft</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesto Exclusive 1" Polycell Dome Sapphire Tweeter 2X5.25" Aluminum Cone Midrange/ Woofer Magnetically Shielded Bass Reflex Design Adjustable Center Foot Acoustically matched for use with Sapphire ST1, ST2, ST3 or SB models</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio.</p> <p>MADE IN CHINA</p>
SS	<p>1). Shipping mark</p> <p>Sapphire™ SS Two-way High Performance Diffuse Surround Speakers</p>

19-AUG-2005 14:36 FROM SUNFIELD.COM.CN

TO 0088672240520

P.03/05

SGS

Quantity: Two

2). Side mark**HANDLE WITH CARE**Designed and Engineered by Cary Christie
and Tom DeVestoExclusive 1" Polycell Dome Sapphire Tweeters
5.25" Aluminum Cone Midrange/ WooferQuantity:
Two Speakers
Premium Black Ash Vinyl
Shipping:
Wt: 40.3 lb
Vol: 2.6cu ft**Sapphire™**

RED HOT Blue!

One Broadway, Suite 600
Cambridge, Massachusetts 02142 USAwww.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio.

MADE IN CHINA

SB

1). Shipping mark

Sapphire™

SBTwo-way High Performance
Bookshelf Speakers

Quantity: Two

2). Side mark**HANDLE WITH CARE**Designed and Engineered by Cary Christie
and Tom DeVestoExclusive 1" Polycell Dome Sapphire Tweeter
5.25" Aluminum Cone Midrange/ Woofer
Magnetically Shielded
Bass Reflex DesignQuantity:
Two Speakers
Premium Black Ash Vinyl
Shipping:
Wt: 31.8 lb
Vol: 2.6 cu ft**Sapphire™**

RED HOT Blue!

One Broadway, Suite 600
Cambridge, Massachusetts 02142 USAwww.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio.

MADE IN CHINA

19-AUG-2005 14:36 FROM SUNFIELD.COM.CN

TO 0088672240520

P.04/05

SGS**6.0 DATA MEASUREMENT**

Model No	Data measurement
ST1	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable.
ST2	N/A
ST3	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable.
SC	1). AC Impedance curve found acceptable except defects shown in AQL.. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.
SS	1). Speaker polarity check found acceptable except defects shown in AQL.. 2). Buzz & Rattle check found acceptable except defects shown in AQL.. 3). 1 pc rubber foot for "left mark test" found acceptable.
SB	1). AC Impedance curve found acceptable except defects shown in AQL.. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
ST1	Nil
ST2	N/A
ST3	Nil
SC	Nil
SS	Nil
SB	Nil

19-AUG-2005 14:37 FROM SUNFIELD.COM.CN

TO 0088672240520

P.05/05

SGSBlack Glass Top
Grilles IncludedQuantity:
One right Speaker
Premium Black Ash VinylOne left Speaker
Premium Black Ash VinylShipping:
Wt: 52.7 lb
Vol: 5.1 cu ft**Sapphire™**

RED HOT Blue!

One Broadway, Suite 600

Cambridge, Massachusetts 02142 USA

www.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio.

MADE IN CHINA

3) Label:

3.1 UPC label stuck on export carton: 831623011117

3.2 Rating label stuck on rear cabinet.

3.3 Serial number label stuck on unit and export carton.

6.0 DATA MEASUREMENT

Model No	Data measurement
ST1-L/R MKII	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
ST1-L/R MKII	NIL

Page 3 of 3
CN-D-OPS-

The Company under its General Conditions issues this report for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more

TOTAL P.05

19-AUG-2005 14:21 FROM SUNFIELD.COM.CN

TO 0098672240520

P.01/08

SGS**6.0 DATA MEASUREMENT**

Model No	Data measurement
SS	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.
STI MKII	1). AC Impedance curve found acceptable except defects shown in AQL.. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
SS	Nil
STI MKII	Nil

Page 4 of 4
CN-Q-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Disputations in the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:22 FROM SUNFIELD.COM.CN

TO 0088672240520

P.02/08

SGS

2/F Qianhai Building, Zhongkang Road, Shangmeilin, Shenzhen, China

Tele: (86 755) 83114358

Fax: (86 755) 83114354/ 83103194

Inspection Report

Report Ref. No.: SZXWT00101519

To :	Tivoli Audio, LLC	Fax / E-mail :	tivolicon@aol.com
Att :	Tom Deyesto		
Cc :	Sunfield Shenzhen	Fax / E-mail :	
Alt :	Peter Peng		
From :	Hanson Cai	Fax / E-mail :	Hanson_cai@sgs.com
SGS File No.:	CN1US-063798	Date: 08/10/2004	SGS Registration No.: CN1US-063798

Buyer : Tivoli Audio, LLC
 Agent : N/A
 Supplier : Sunfield, TW
 Manufacturer : Sunfield, Shen Zhen
 Product description: Speakers and Grill kits

L/C Number : (x) Not Available
 P O. Number: (x) Not Available

Service performed : FRI Inspection Date : 05.07 - Oct - 2004
 Inspection Location : Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED : By Principal (For data measurement only)

1.0 SUMMARY OF INSPECTION RESULT :

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
ST1	N/A	According to Client instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection ; AQL = Level 1 letter code Critical = Not allow Major = 0.65 Minor = 1.5		
ST2	125X2 pcs (1pc/ ctn)		20 pcs	Subject to Client's evaluation
ST3	250X2 pcs (1pc/ ctn)		20 pcs	Subject to Client's evaluation
SC	600 pcs (1pc/ ctn)		32 pcs	Subject to Client's evaluation
SS	N/A			
SB	N/A			
SBS	N/A			
SBL	300X2 pcs (2pcs/ctn)		32 pcs	Subject to Client's evaluation

Note : Inspection result are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's evaluation"

FOLLOW UP ACTIONS : (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for _____

Page 1 of 2
CN-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:22 FROM SUNFIELD.COM.CN

TO 0098672240520

P.03/08

SGS

Manufacturer / supplier commented on inspection result as follow : _____

Please instruct regarding issuance of inspection certificate.

We sent you defective samples by _____ AWB, No.: _____ on _____ Please advise your evaluation.

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / label	Data measurement
ST1	N/A				
ST2	Conformed	Conformed	Conformed	Conformed	Actual Finding
ST3	Conformed	Conformed	Conformed	Conformed	Actual Finding
SC	Conformed	Conformed	Conformed	Conformed	Actual Finding
SS	N/A				
SB	N/A				
SBS	N/A				
SBL	Conformed	Conformed	Conformed	Conformed	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:(As according to Client's instruction "Critical and Major defect" are not allow !
And "Minor defect" are just for repair and improvement mainly !)

Model No	Defect description	Critical	Major	Minor
ST1	N/A			
ST2	No defect was found	0	0	0
ST3	No defect was found	0	0	0
SC	No defect was found	0	0	0
SS	N/A			
SB	N/A			
SBS	N/A			
SBL	Dirty stain on rear cabinet could be removable (11241)	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
ST1	N/A	
ST2	2 ply corrugated carton and sealed by gummed tapes	Each unit protected with polybag and foam, then packed into carton together with 2 pcs plastic foot, accessories bag (2+1 pc copper foot, 4 pcs black screw), User's guide and Warranty card.
ST3	2 ply corrugated carton and sealed by gummed tapes	Each unit protected with polybag and foam, then packed into carton together with 2 pcs plastic foot, accessories bag (2+1 pc copper foot, 4 pcs black screw), User's guide and Warranty card.
SC	2 ply corrugated carton and sealed by gummed	Each unit protected with polybag and foam, then packed into carton together with accessories bag (1 pc copper foot, 6 pcs rubber foot).

Page 2 of 4
CN-D-OP-1

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not constitute buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than the times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:23 FROM SUNFIELD.COM.CN

TO 0088672240520

P.04/08

SGS

	tapes	User's guide and Warranty card.
SS	N/A	
SB	N/A	
SBS	N/A	
SBL	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.

5.0 MARKING / LABELING

Model No	On Export carton
ST1	N/A
ST2	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ ST2MKII High Performance Three-way Tower Speaker (L/R label)</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesto Exclusive 1" Sapphire Polycell Dome Tweeter 2x5.25" Aluminum Cone Midranges 10" Side-firing Aluminum Cone Woofer Magnetically Shielded Bi-Wirable Bass Reflex Design Black Glass Top Grilles Included</p> <p>Quantity: One Right Speaker Premium Black Ash Vinyl</p> <p>One Left Speaker Premium Black Ash Vinyl</p> <p>Shipping: Wt: 60.5 lb Vol: 6.1 cu ft</p> <p>Sapphire™ RED HOT Blues! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA</p> <p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ ST3MKII</p>
ST3	

Page 7 of 6
CN-11-015

This report is issued by the Company under its General Conditions for Inspection and Trading Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:23 FROM SUNFIELD.COM.CN

TO 0088672240520

P.05/08

SGSHigh Performance
Three-way Tower Speaker

(L/R label)

2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
and Tom DeVesto
Exclusive 1" Sapphire Polycell Dome Tweeter
2x5.25" Aluminum Cone Midranges
2x8" Side-firing Aluminum Cone Woofers
Magnetically Shielded
Bi-Wirable
Bass Reflex Design
Black Glass Top
Grilles Included

Quantity:
One Right Speaker
Premium Black Ash Vinyl

One Left Speaker
Premium Black Ash Vinyl

Shipping:
Wt: 71.6 lb
Vol: 7.3 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600
Cambridge, Massachusetts 02142 USA
www.SapphireAudio.com

Sapphire and the Sapphire logo are trademarks of Sapphire audio

MADE IN CHINA

SC

1). Shipping mark

Sapphire™
SC MKII
High Performance
Two-way Center Channel

Quantity: One

2). Side mark

Quantity:
One Speaker
Premium Black Ash Vinyl
Shipping:
Wt: 24.6 lb
Vol: 2.1 cu ft

HANDLE WITH CARE

Designed and Engineered by Cary Christie and Tom DeVesto
Exclusive 1" Sapphire Polycell Dome Tweeter
2X5.25" Aluminum Cone Midrange/Woofers
Magnetically Shielded
Bass Reflex Design
Adjustable Center Foot

Page 1 of 6
CN O Car

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Specifications to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than three times the amount of the fee, or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:24 FROM SUNFIELD.COM.CN

TO 0088672240520

P.06/08

SGS

	Grille Included
	<p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio.</p>
	MADE IN CHINA
SS	N/A
SB	N/A
SGS	N/A
SBL	1). <u>Shipping mark</u>
	<p style="text-align: center;">Sapphire™ SBL Two-way High Performance Bookshelf Speakers Quantity: Two</p> <p>2). <u>Side mark</u></p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesta Exclusive 1" Polycell Dome Sapphire Tweeter Hand-Lacquered Front Baffle Magnetically Shielded 6.5" aluminum cone midrange/woofer Bass Reflex Design</p> <p style="text-align: center;">Quantity: Two Speakers Premium Black Ash Vinyl Shipping: Wt: 34.3 lb Vol: 3.1cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio. MADE IN CHINA</p>

5.0 DATA MEASUREMENT

Model No	Data measurement
ST1	N/A
ST2	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable.
ST3	1). AC Impedance curve found acceptable except defects shown in AQL.

Page 5 of 6
CND-GPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fee or commitment. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:24 FROM SUNFIELD.COM.CN

TO 0088672240520

P.07/08

SGS

	2). Speaker polarity check found acceptable except defects shown in AQL..
	3). Buzz & Rattle check found acceptable except defects shown in AQL..
	4). 3pcs samples for actual installation check found acceptable.
SC	1). AC Impedance curve found acceptable except defects shown in AQL..
	2). Speaker polarity check found acceptable except defects shown in AQL..
	3). Buzz & Rattle check found acceptable except defects shown in AQL..
	4). 3pcs samples for actual installation check found acceptable.
	5). 1 pc rubber foot for "left mark test" found acceptable.
SS	N/A
SB	N/A
SBS	N/A
SBL	1). AC Impedance curve found acceptable except defects shown in AQL..
	2). Speaker polarity check found acceptable except defects shown in AQL..
	3). Buzz & Rattle check found acceptable except defects shown in AQL..
	4). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
ST1	N/A
ST2	Only 150 pcs (60% of all products) were finished and packed for inspection.
ST3	Nil.
SC	Only 450 pcs (75% of all products) were finished and packed for inspection.
SS	N/A
SB	N/A
SBS	N/A
SBL	Nil.

Page 6 of 6
CN DORS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:26 FROM SUNFIELD.COM.CN

TO 0088672240520

P.03/23

SGS

2/F Ostar Building, Zhongkang Road, Shengmeilin, Shenzhen, China

Tels: (86 755) 83114358

Fax: (86 755) 83114354/ 83103194

Inspection Report

Report Ref. No.: SZXWT00102045

To :	Tivoli Audio, LLC	Fax / E-mail :	tivolicon@aol.com
Att :	Tom Devesto		
Cc :	Sunfield Shenzhen	Fax / E-mail :	
Att :	Peter Peng		
From :	Hanson Cai	Fax / E-mail :	Hanson_cai@sgs.com
SGS File No.:	CN1US-064117	Date: 12/10/2004	SGS Registration No.: CN1US-064117

Buyer: Tivoli Audio, LLC

Agent: N/A

Supplier: Sunfield, TW

Manufacturer: Sunfield, Shen Zhen

Product description: Speakers and Grill kits

I/C Number: (x) Not Available

P.O. Number: (x) Not Available

Service performed: FRI Inspection Date: 12-Oct-2004

Inspection Location: Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED: By Principal (For data measurement only)

1.0 SUMMARY OF INSPECTION RESULT:

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
SBS	626pcs	According to Client instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection; AQL = Level I letter code Critical = Not allow Major = 0.65 Minor = 1.5	32	Subject to Client's evaluation
SS	218pcs		32	Subject to Client's evaluation
SB	262pcs		32	Subject to Client's evaluation

Note: Inspection result are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's evaluation"

FOLLOW UP ACTIONS: (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for

Manufacturer / supplier commented on inspection result as follow

Please instruct regarding issuance of inspection certificate.

Page 1 of 2
CN-D-008

This report is issued by the Company under its General Conditions for Inspection and Testing Services. (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Disputations in the century are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:27 FROM SUNFIELD.COM.CN

TO 0088672240520

P.04/23

SGS

We sent you defective samples by _____ AWB. No.: _____ on _____ Please advise your evaluation.

We recommend the following corrective action: _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / label	Data measurement
SBS	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
SS	Conformed	Pass AQL	Conformed	Conformed	Actual Finding
SB	Conformed	Pass AQL	Conformed	Conformed	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allow !
And "Minor defect" are just for repair and improvement mainly !)

Model No	Defect description	Critical	Major	Minor
SBS	Oil mark on side cabinet (13120)	0	0	1
SS	Poor painting on front cabinet (11558)	0	0	1
SB	Glue mark on side cabinet (13154)	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
SBS	2 ply corrugated carton and sealed by gummed tapes	Each unit protected with polybag and foam, then packed into carton together with accessories bag (1 pc copper foot, 6 pcs rubber foot) User's guide and Warranty card.
SS	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.
SB	2 ply corrugated carton and sealed by gummed tapes	Two speakers protected with polybag and foam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.

5.0 MARKING / LABELING

Model No	On Export carton
SBS	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ SBS Two-way High Performance Bookshelf Speakers</p> <p style="text-align: center;">Quantity: Two</p>

Page 2 of 5
CN-D-QPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commissions. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:27 FROM SUNFIELD.COM.CN

TO 0088672240520

P.05/23

SGS2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 And Tom DeVesto
 Exclusive 1" Polycell Dome Sapphire Tweeter
 Magnetically Shielded 5.25" coated paper
 Cone midrange/woofer
 Bass Reflex Design

Quantity:
 Two Speakers
 Premium Black Ash Vinyl

Shipping:
 Wt: 21.5 lb
 Vol: 1.8 cu ft

Sapphire™
 RED HOT Blue!
 One Broadway, Suite 600
 Cambridge, Massachusetts 02142 USA
www.SapphireAudio.com
 Sapphire and the Sapphire logo are trademarks of Sapphire audio.
MADE IN CHINA

SS

1). Shipping mark

Sapphire™

SS

Two-way High Performance
 Diffuse Surround Speakers

Quantity: Two

2). Side mark**HANDLE WITH CARE**

Designed and Engineered by Cary Christie
 and Tom DeVesto
 Exclusive 1" Polycell Dome Sapphire Tweeters
 5.25" Aluminum Cone Midrange/ Woofer

Quantity:
 Two Speakers
 Premium Black Ash Vinyl
 Shipping:
 Wt: 40.3 lb
 Vol: 2.6cu ft

Sapphire™
 RED HOT Blue!
 One Broadway, Suite 600
 Cambridge, Massachusetts 02142 USA
www.SapphireAudio.com
 Sapphire and the Sapphire logo are trademarks of Sapphire audio.
MADE IN CHINA

SB

1). Shipping mark

Page 1 of 1
 GH-D-OPS-

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees of compilation. Except by special arrangement, samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:28 FROM SUNFIELD.COM.CN

TO 0088672240520

P.06/23

SGS

Sapphire™

SBTwo-way High Performance
Bookshelf Speakers

Quantity: Two

2). Side mark**HANDLE WITH CARE**Designed and Engineered by Cary Christie
And Tom DeVasto
Exclusive 1" Polycell Dome Sapphire Tweeter
5.25" Aluminum Cone Midrange / Woofer
magnetically Shielded
Bass Reflex DesignQuantity:
Two Speakers
Premium Black Ash VinylShipping:
Wt: 31.8 lb
Vol: 2.6 cu ft

Sapphire™

RED HOT Blue!

One Broadway, Suite 600
Cambridge, Massachusetts 02142 USA
www.SapphireAudio.comSapphire and the Sapphire logo are trademarks of Sapphire audio.
MADE IN CHINA**6.0 DATA MEASUREMENT**

Model No	Data measurement
SBS	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.
SS	1). AC Impedance curve found acceptable except defects shown in AQL.. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.
SB	1). AC Impedance curve found acceptable except defects shown in AQL.. 2). Speaker polarity check found acceptable except defects shown in AQL.. 3). Buzz & Rattle check found acceptable except defects shown in AQL.. 4). 1 pc rubber foot for "left mark test" found acceptable.

Page 4 of 5
CN D-OPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:28 FROM SUNFIELD.COM.CN

TO 0088672240520

P.07/23

SGS**7.0 PROBLEM REMARKS / INFORMATIVE REMARKS**

	Model No	Problem remark / Informative remark
SC	Nil	
SS	Nil	
SB	Nil	

Page 3 of 5
CN-D-005

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees of examination. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:28 FROM SUNFIELD.COM.CN

TO 0088672240520

P.08/23

SGS

2/F Oastar Building, Zhongkang Road, Shangmellin, Shenzhen, China

Tel: (86 755) 83114358

Fax: (86 755) 83114354/ 83103194

Inspection Report

Report Ref. No.: SZXWT00098710

To :	Tivoli Audio, LLC	Fax / E-mail :	livolicon@aol.com
Att :	Tom Davesio		
Co :	Sunfield Shenzhen	Fax / E-mail :	
Att :	Peter Peng		
From :	Hanson Cai	Fax / E-mail :	Hanson_cai@sgs.com
SGS File No.:	CN1US-061960	Date: 10-Sep-04	SGS Registration No.: CN1US-061960

Buyer: Tivoli Audio, LLC

Agent: N/A

Supplier: Sunfield, TW

Manufacturer: Sunfield, Shen Zhen

Product description: Speakers and Grill kits

L/C Number:

(x) Not Available

P.O. Number:

(x) Not Available

Service performed: FRI

Inspection Date: 10-Sep-2004

Inspection Location: Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED:

By Principal (For data measurement only.)

1.0 SUMMARY OF INSPECTION RESULT:

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
ST1	N/A	According to Client instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection AQL = Level I - according to latter code sample size only. Critical = Not allow Major = 0.65 Minor = 1.5	N/A	N/A
ST2	N/A		N/A	N/A
ST3	N/A		N/A	N/A
SC MKII	765 pcs (1 pc per carton)		32	Subject to Client's evaluation
SS	456 pcs (2 pcs per carton)		32	Subject to Client's evaluation
SB	N/A		N/A	N/A

Note: Inspection results are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's Evaluation"

FOLLOW UP ACTIONS: (as applicable)

Inspection certificate will be issued

Supplier advised shipment scheduled for _____

Manufacturer / supplier commented on inspection result as follow: _____

Please instruct regarding issuance of inspection certificate.

We sent you defective samples by ____ AWB. No.: _____ on ____ Please advise your evaluation.

Page 1 of 1
CN D CHS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. In the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than ten days.

19-AUG-2005 14:29 FROM SUNFIELD.COM.CN

TO 0088672240520

P.09/23

SGS

We recommend the following corrective action _____

Additional SGS service _____ results due by _____

2.0 SUMMARY OF INSPECTION CONTENTS

Model No	Style / Material / Color	Workmanship / Visual / Function	Packing	Marking / Label	Data measurement
SS	Confirmed	Confirmed	Confirmed	Confirmed	Actual Finding
SC MKII	Confirmed	Confirmed	Confirmed	Reservation	Actual Finding

3.0 WORKMANSHIP APPEARANCE / FUNCTION INSPECTION FINDINGS:

(As according to Client's instruction "Critical and Major defect" are not allow / And "Minor defects" are just for repair and Improvement mainly!)

Model No	Defect description	Critical	Major	Minor
SS	Glue marks stain on front panel. (11822)	0	0	1
SC MKII	Dirty marks stain on front panel (12954)	0	0	1

4.0 PACKING

Model No	Export packing	Individual packing
SS	2 ply corrugated carton and sealed by gummed tapes	Two speaker boxes protected with polybag and polyfoam, then packed into carton together with 1 accessories bag (8 pcs rubber foot), User's guide and Warranty card.
SC MKII	2 ply corrugated carton and sealed by gummed tapes	Each unit protected with polybag and foam, then packed into carton together with 1 accessories bag (1 pc copper foot, 8 pcs rubber foot), User's guide and Warranty card.

5.0 MARKING / LABELING

Model No	On Export carton
SS	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ SS Two-way High performance Diffuse Surround Speaker Quantity: Two</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVesto Exclusive 1" Polycell Dome Sapphire Tweeter 5.25" Aluminum Cone Midrange/Woofer Quantity: Two Speakers Premium black Ash Vinyl (barcode: Sapphire SS 8 31623 01611 2)</p>

Page 1 of 1
CND OPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Disputations in this country are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission, except by special arrangement. Samples if drawn, will not be returned by the Company for more than three months.

19-AUG-2005 14:29 FROM SUNFIELD.COM.CN

TO 0088672240520

P.10/23

SGS

	<p>Shipping: Wt: 40.3 lb Vol: 2.6 cu ft Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire Audio. MADE IN CHINA</p>
<p>SC MKII (new version)</p>	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ SC MKII High Performance Two-way Center Channel Quantity: One</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVeslo Exclusive 1" Sapphire Polycell Dome Tweeter 2X5.25" Aluminum Cone Midrange/Woofer Magnetically Shielded Bass Reflex Design Adjustable Center Foot Grille Included MADE IN CHINA</p> <p style="text-align: right;">Quantity: Two Speakers Premium Black Ash Vinyl (barcode: Sapphire SC 631623 015115)</p> <p style="text-align: right;">Shipping: Wt: 24.6 lb Vol: 2.1 cu ft</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire audio</p>
<p>SC MKII (stuck label version)</p>	<p>1). Shipping mark</p> <p style="text-align: center;">Sapphire™ SC Two-way High Performance Center Channel MKII Quantity: One</p> <p>2). Side mark</p> <p>HANDLE WITH CARE Designed and Engineered by Cary Christie and Tom DeVeslo Exclusive 1" Sapphire Polycell Dome Tweeter 2X5.25" Aluminum Cone Midrange/Woofer Magnetically Shielded</p>

Page 3 of 5
CN-D-CPA

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Disputes to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven nonconformance and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:29 FROM SUNFIELD.COM.CN

TO 0088672240520

P.11/23

SGS

<p>Bass Reflex Design Adjustable Center Foot Acoustically matched for use with Sapphire ST1, ST2, ST3, or SB models</p> <p>MADE IN CHINA</p> <p>Sapphire™ RED HOT Blue! One Broadway, Suite 600 Cambridge, Massachusetts 02142 USA www.SapphireAudio.com Sapphire and the Sapphire logo are trademarks of Sapphire Audio</p>	<p>MKII Quantity: Premium Black Ash Vinyl (barcode Sapphire SC 8 31623 01511 5)</p> <p>Shipping: Wt: 24.6 lb Vol: 2.1 cu ft</p>
--	--

6.0 DATA MEASUREMENT

Model No	Data measurement
SS	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.
SC MKII	1). AC Impedance curve found acceptable except defects shown in AQL. 2). Speaker polarity check found acceptable except defects shown in AQL. 3). Buzz & Rattle check found acceptable except defects shown in AQL. 4). 3pcs samples for actual installation check found acceptable. 5). 1 pc rubber foot for "left mark test" found acceptable.

7.0 PROBLEM REMARKS / INFORMATIVE REMARKS

Model No	Problem remark / Informative remark
SS	Manufactory only provided 456 pcs of goods for inspection during intervention. Which did not conform to the P/O Qty: 500 pcs.
SC MKII	SC model for inspection reference only. Manufactory only provided 765 pcs of goods for inspection during intervention. Which did not conform to the P/O Qty: 900 pcs. Some cartons were found "MKII" labels stuck on carton. That is SC model revised version. (detail refer to digital photo)

Page 4 of 4
CN:J-OPS

This report is issued by the Company under its General Conditions for Inspection and Testing Services (copy available upon request). The issuance of this report does not exonerate buyers or sellers from exercising all their rights and discharging all their liabilities under the Contract of Sale. Stipulations to the contrary are not binding on the Company. The Company's responsibility under this report is limited to proven negligence and will in no case be more than ten times the amount of the fees or commission. Except by special arrangement, samples, if drawn, will not be retained by the Company for more than three months.

19-AUG-2005 14:34 FROM SUNFIELD.COM.CN

SGS

TO 0088672240520

P.23/23

2/F Oaster Building, Zhongkang Road, Shangmeilin, Shenzhen, China

Tel.: (86 755) 83114358

Fax: (86 755) 83114354/ 83103194

Inspection ReportReport Ref. No.: **SZXWT00075692**

To :	Tivoli Audio, LLC	Fax / E-mail :	tivolicon@aol.com
Att :	Tom Devesto		
Cc :	Sunfield Shenzhen	Fax / E-mail :	
Att :	Peter Peng		
From :	Hanson Cai	Fax / E-mail :	Hanson_cai@sgs.com
SGS File No.:	CN1US-047843	Date: 03-Mar-04	SGS Registration No.:

Buyer : _____
 Agent : N/A
 Supplier : Sunfield, TW
 Manufacturer : Sunfield, Shen Zhen
 Product description: Speakers and Grill kits

LC Number : _____ (x) Not Available
 P.O. Number: _____ (x) Not Available

Service performed : FRI Inspection Date : 03 - Mar. - 2004
 Inspection Location : Sha Jing, Shen Zhen

REFERENCE SAMPLE PROVIDED : By Principal (For data measurement only)

1.0 SUMMARY OF INSPECTION RESULT:

Model No	Quantity for inspection	AQL applied	Sample size	Overall result
ST1	175X2 pcs (1pc/carton)	According to Client instruction are using ANSI/ASQC Z1.4-1993, Single sampling plans for normal inspection	20 pcs	Pass AQL
ST2	N/A		N/A	N/A
ST3	70X2 pcs (1pc/carton)		8 pcs	Pass AQL
SC	250 pcs (1pc/carton)	AQL = Level I - according to letter code sample size only. Critical = Not allow Major = 0.65 Minor = 1.5	13 pcs	Pass AQL
SB	35X2 pcs (2pcs/carton)		5 pcs	Pass AQL
SS	95X2 pcs (2pcs/carton)		13 pcs	Pass AQL

Note: Inspection results are defined as "Conformed" "Not conformed" "Not applicable" and "Subject to Client's Evaluation"

FOLLOW UP ACTIONS: (as applicable)

- ☐ Inspection certificate will be issued
☐ Supplier advised shipment scheduled for _____
☐ Manufacturer / supplier commented on inspection result as follow: _____
☐ Please instruct regarding issuance of inspection certificate.
☐ We sent you defective samples by _____ AWB. No.: _____ on _____ Please advise your evaluation.